

Patient: Barry Hills
Recorded: Friday, July 4, 2025 at 5:17:55 PM
Heart Rate: 88 BPM
Duration: 30s

Kardia Determination: Possible Atrial Fibrillation
*Kardia Determination is done on Lead I.


Enhanced Filter, Mains Frequency: 60Hz Scale: 25mm/s, 10mm/mV



Patient: Barry Hills
Recorded: Friday, July 4, 2025 at 5:17:55 PM
Heart Rate: 88 BPM
Duration: 30s

Kardia Determination: Possible Atrial Fibrillation
*Kardia Determination is done on Lead I.


Enhanced Filter, Mains Frequency: 60Hz Scale: 25mm/s, 10mm/mV



Patient: Barry Hills
Recorded: Friday, July 4, 2025 at 5:17:55 PM
Heart Rate: 88 BPM
Duration: 30s

Kardia Determination: Possible Atrial Fibrillation
*Kardia Determination is done on Lead I.

Enhanced Filter, Mains Frequency: 60Hz Scale: 25mm/s, 10mm/mV



Patient: Barry Hills
Recorded: Friday, July 4, 2025 at 5:17:55 PM
Heart Rate: 88 BPM
Duration: 30s

Kardia Determination: Possible Atrial Fibrillation
*Kardia Determination is done on Lead I.

Enhanced Filter, Mains Frequency: 60Hz Scale: 25mm/s, 10mm/mV

